(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 0.99. The smaller the value, the greater the limitation. See text for further explanation of ratings in this table.)

Print date: 09/09/2002

Map symbol and soil name	Pct. of map unit	reclamation mater		Potential source roadfill	of	Potential source of topsoil		
				Rating class and limiting features				
AsC: Ashe	100 		0.00		0.00	I	 0.37	
AsD: Ashe	 100 	 Not Rated Low content of organic matter Droughty Depth to bedrock	0.00	 Not Rated Depth to bedrock Slope Cobble content	0.00	 Not Rated Slope Rock fragments	0.00	
BdB: Beltsville	100	 Fair Too acid Low content of organic matter Water erosion	0.12	Depth to saturated zone Low strength	0.53 0.78	 Depth to saturated zone	10.53	
BeB: Beltsville Urban Land		Too acid Low content of organic matter Water erosion	0.12	Depth to saturated zone Low strength	 0.78 	Hard to reclaim Depth to saturated zone	10.53	
Bg: Bibb		 Fair Too acid Low content of organic matter Water erosion	0.50	Depth to saturated zone	0.00	saturated zone Rock fragments 		
BnB: Bourne	100	Low content of organic matter Droughty Too acid	0.00	i I			0.00	

Table ENG-2.--Construction Materials--Continued

and soil name				Potential source roadfill 	of	Potential source topsoil	e of
	 			Rating class and limiting features			
BnC: Bourne	100	Low content of organic matter	0.00	Depth to saturated zone	0.53		10.37
BpB: Bourne	 40 	 Not Rated Low content of organic matter Droughty 	 0.00 0.05 	 Not Rated Depth to saturated zone 	0.53	 Not Rated Hard to reclaim Depth to saturated zone	0.53
Urban Land	 40 	 Not rated 	 	 Not rated 	 	 Not rated 	
BrC: Brandywine	 100 	Low content of organic matter Too acid	0.12 0.50 0.93	İ		 Rock fragments	0.00 0.37
BrD: Brandywine	 100 	Low content of organic matter Too acid Droughty	0.12	Slope Cobble content 	0.00 	 Poor Slope Hard to reclaim Rock fragments Too acid	0.00
BtB: Brandywine	 40 40 	 Not Rated Low content of organic matter Too acid Droughty Cobble content	0.12 0.50 0.93	İ		 Poor Hard to reclaim Rock fragments Too acid	İ
Urban Land	 40 	 Not rated 		 Not rated 	 	 Not rated 	
BtC: Brandywine	 40 	 Not Rated Low content of organic matter Too acid Droughty Cobble content	 0.12 0.50 0.93 0.99	 Not Rated Cobble content 	 0.77 	 Poor Hard to reclaim Rock fragments Slope Too acid	 0.00 0.00 0.37 0.59
Urban Land	40	 Not rated 		 Not rated		 Not rated	

Table ENG-2.--Construction Materials--Continued

				Potential source roadfill 	of	Potential source topsoil 	of
	 			Rating class and limiting features			
BtD: Brandywine		Low content of organic matter Too acid	0.12	Cobble content		Slope Hard to reclaim	0.00
Urban Land	 40	Cobble content	0.93 0.99 		 	Rock fragments Too acid Not rated	0.00 0.59
orsan rana			į		İ		
CcB: Chillum	 100 	Low content of organic matter	 0.12 0.50	i I	i i	 Poor Hard to reclaim Too acid	İ
			0.30			100 acid 	
CcC: Chillum	100	 Fair Low content of organic matter	0.12	 Good 	 	 Poor Hard to reclaim 	0.00
	į į	Too acid	0.50		į į		0.37
CcD: Chillum		 Fair Low content of organic matter		 Poor Slope		 Poor Slope	0.00
		Too acid	0.50			Hard to reclaim Too acid	0.00
CdB: Chillum	 40 	Low content of organic matter	0.12	İ	 	 Poor Hard to reclaim 	İ
		•	0.50 0.90	•		Too acid 	0.88
Urban Land	40	 Not rated 		 Not rated 	 	 Not rated 	
CdC: Chillum	 40 		0.12	 Good 	 	 - Poor Hard to reclaim 	0.00
		Too acid Water erosion	0.50 0.90			Slope Too acid	0.37 0.88
Urban Land	 40 	 Not rated 	 	 Not rated 	 	 Not rated 	
CdD: Chillum	 40 	 Fair Low content of organic matter	0.12	 Poor Slope	 0.00	 Poor Slope	0.00
	 	Too acid Water erosion	0.50	 		Hard to reclaim Too acid 	0.00

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name				Potential source roadfill	of	Potential source topsoil	of
		 Rating class and limiting features		 Rating class and limiting features		 Rating class and limiting features	
Urban Land	40	 Not rated 		 Not rated 	 	 Not rated 	
CeB: Christiana	 100 100 	Too clayey Low content of organic matter Too acid	0.00 0.12	 Poor Low strength Shrink-swell 	 0.00 0.87 	 Poor Too Clayey Too acid 	 0.00 0.32
CeC: Christiana	 100 	Too clayey		Low strength Shrink-swell	 0.00 0.87 		0.00
CeD: Christiana	 100 	Too clayey Low content of organic matter Too acid	0.00	Low strength Slope Shrink-swell	0.00	Slope	0.00
CfB: Christiana	 40 	Too clayey Low content of organic matter	0.00	ĺ			0.00
Urban Land	40	 Not rated 	 	 Not rated 	 	 Not rated 	
CfC: Christiana	 40 	Too clayey Low content of organic matter Too acid	0.00	 Poor Low strength Shrink-swell 	 0.00 0.87 	 Poor Too Clayey Too acid Slope	0.00
Urban Land	40	 Not rated 	 	 Not rated 	 	 Not rated 	
CfD: Christiana	 40 	 Poor Too clayey Low content of organic matter Too acid Water erosion	 0.00 0.12 0.50 0.90		 0.00 0.00 0.87	Too Clayey	0.00

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	 Pct. of map unit	reclamation mater		Potential source roadfill	of	Potential source of topsoil	
				 Rating class and limiting features			
Urban Land	40	 Not rated 		 Not rated 	 	 Not rated 	
Ck: Codorus	95	Low content of organic matter Too acid	0.00		0.14	saturated zone	0.14
Cn: Codorus	40	Low content of organic matter Too acid	0.00		0.14	saturated zone	0.14
Urban Land	40	 Not rated 		 Not rated 	 	 Not rated 	
CwB: Croom	 100 	Low content of organic matter Too acid	 0.00 0.54 0.96 0.99	 Good 		 Poor Rock fragments Hard to reclaim Too acid	0.00
CwC: Croom	100	Low content of organic matter	 0.00 0.54 0.96 0.99	 	 	 Hard to reclaim Slope	 0.00 0.00 0.37 0.98
CwD: Croom	100	Low content of organic matter Too acid Droughty		- 		ĺ	 0.00 0.00 0.00 0.98
CxB: Croom	40	Low content of organic matter Too acid	0.00 0.54 0.96	 Good 		 Poor Rock fragments Hard to reclaim Too acid	0.00
Urban Land	40	 Not rated		 Not rated		 Not rated	

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name				Potential source roadfill	of	Potential source of topsoil	
	 			 Rating class and limiting features		 Rating class and limiting features	Value
CxC: Croom	 40 	Low content of organic matter Too acid Droughty	 0.00 0.54 0.96 0.99	 		 Hard to reclaim Slope	 0.00 0.00 0.37 0.98
Urban Land	40	 Not rated 	 	 Not rated 	 	 Not rated 	
CxD: Croom	 40 	Low content of organic matter Too acid Droughty		 		 Rock fragments Hard to reclaim	0.00
Urban Land	 40 	 Not rated 	 	 Not rated 	 	 Not rated 	
Dn: Dunning	 100 	Low content of organic matter Too clayey	0.00	Depth to saturated zone Low strength	10.00	saturated zone Rock fragments	0.00
Fa: Fallsington	100		0.12	Depth to saturated zone	 0.00 	Depth to saturated zone	0.00
FB: Fluvaquents	 100 	Low content of organic matter Too acid	0.12	 	 	 Fair Rock fragments 	0.50
FD: Fluvaquents				saturated zone		 Not Rated Depth to saturated zone Rock fragments	0.00
FF: Fluvaquents	 50 	 Fair Low content of organic matter Too acid Water erosion	 0.12 0.68 0.90	 Good 	 	 Fair Rock fragments 	 0.50

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. Potential source of of reclamation material map unit			Potential source roadfill 	Potential source of roadfill		of
	[]]			 Rating class and limiting features			Value
Udifluvents	35	 Fair Low content of organic matter Too acid Water erosion	0.12	 		 Fair Rock fragments 	0.50
FH: Fluvaquents	30	 Poor Low content of organic matter Too acid Water erosion	0.00	İ	0.00	 Not Rated Depth to saturated zone Rock fragments	0.00
Udifluvents	30	Low content of organic matter Too acid	 0.12 0.68 0.90	ĺ		 Fair Rock fragments 	0.50
Urban Land	20	 Not rated 		 Not rated 		 Not rated 	
GeB: Galestown	 40 	Wind erosion Too sandy Too acid		 	<u> </u> 	Too acid	 0.01 0.59 0.97
Urban Land	 40 	 Not rated 		 Not rated 	 	 Not rated 	
GfB: Galestown	 50 	Wind erosion Too sandy Too acid	 0.00 0.01 0.12 0.50	 Good 	 	Too acid	 0.01 0.59 0.97
Rumford	 35 	Wind erosion Low content of organic matter Too acid	 0.00 0.12 0.50 0.98	 Good 	 	Hard to reclaim	 0.76 0.82 0.97
GfC: Galestown	 50 	 Poor Wind erosion Too sandy	 0.00 0.01 0.12 0.50	 Good 	 	Slope Too acid	 0.01 0.37 0.59 0.97

Table ENG-2.--Construction Materials--Continued

	 Pct. of map unit	reclamation mater		Potential source roadfill 	of	Potential source of topsoil	
	 	 Rating class and limiting features 		Rating class and limiting features		 Rating class and limiting features 	
Rumford	35	Wind erosion Low content of organic matter	0.00	•	 	 Fair Slope Too acid 	0.37
	 	Too acid Droughty 	0.50 0.98	 	 	Hard to reclaim Rock fragments 	0.82 0.97
GgB: Glenelg	 100 	 Fair Low content of organic matter	0.12	 Good 	 	 Poor Hard to reclaim	0.00
	 	Too acid	0.50			Rock fragments	0.12
GgC: Glenelg	100	Low content of	0.12	 Good 	 	 Poor Hard to reclaim	0.00
	 	organic matter Too acid Water erosion	0.50			 Rock fragments Slope	0.12
GgD: Glenelg	 100 	 Fair Low content of organic matter		 Fair Slope 		 Poor Slope 	0.00
	 	Too acid Water erosion	0.50	 		Hard to reclaim Rock fragments	0.00
GhB: Glenelg	 40 	 Fair Low content of organic matter Too acid	 0.12 0.50	 Good 		 Poor Hard to reclaim Rock fragments	0.00
The barry Tarrel		Water erosion	0.68	 			
Urban Land	40 	 		Not rated 		Not rated 	
GhC: Glenelg	 40 	Low content of organic matter Too acid	0.12	l I	 	 Poor Hard to reclaim Rock fragments	0.00
Urban Land	 40	ĺ	0.68 	 Not rated	 	Slope Not rated	0.37
GhD: Glenelg	1 40	Low content of		 Fair Slope	 0.50	 Poor Slope	0.00
	 	organic matter Too acid Water erosion	0.50	 		 Hard to reclaim Rock fragments	0.00
Urban Land	40	 Not rated 		 Not rated 		 Not rated 	

Table ENG-2.--Construction Materials--Continued

				Potential source roadfill 	of	Potential source topsoil 	of
	 			Rating class and limiting features			
GlB: Glenelg Variant	100	Low content of organic matter	0.12	Depth to saturated zone	0.29	Hard to reclaim Depth to saturated zone Rock fragments	0.29
GmB: Glenelg Variant	 40 	Low content of organic matter	0.12	 Fair Depth to saturated zone 	 0.29 	 Depth to saturated zone Rock fragments	0.29
Urban Land	40	 Not rated 		Not rated		 Not rated 	
Ik: Iuka	 85 	Low content of	0.00	 Fair Depth to saturated zone 	0.53		0.53
Ip: Iuka	 40 	Low content of	0.00	 Fair Depth to saturated zone 	0.53	 Not Rated Depth to saturated zone	0.53
Urban Land	40	 Not rated 		 Not rated 		 Not rated 	
JtB: Joppa		Low content of organic matter Too acid	 0.12 0.50 0.62	i I	į į	 Poor Rock fragments Hard to reclaim Too acid	1
JtC: Joppa	 100 100 	 Fair Low content of organic matter Too acid Droughty 		 Good 		 Poor Rock fragments Hard to reclaim Slope Too acid	 0.00 0.02 0.37 0.59
JtD: Joppa	 100 100 	 Fair Low content of organic matter Too acid Droughty 	 0.12 0.50 0.62	 Poor Slope 	 0.00 	 Poor Slope Rock fragments Hard to reclaim Too acid	

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	 Pct. of map unit	reclamation mater		 Potential source roadfill 	of	Potential source of topsoil	
	 	 Rating class and limiting features		 Rating class and limiting features		 Rating class and limiting features	Value
JuB: Joppa		Low content of organic matter Too acid	 0.12 0.50 0.62	 Good 	į I	 Poor Rock fragments Hard to reclaim Too acid	 0.00 0.02 0.59
Urban Land	 40 	 Not rated 	 	 Not rated 	 	 Not rated 	
JuC: Joppa	 40 	Low content of organic matter	 0.12 0.50 0.62	 	į į	 Poor Rock fragments Hard to reclaim Slope Too acid	0.37
Urban Land	 40 	 Not rated 	 	 Not rated 	 	 Not rated 	
JuD: Joppa	 40 	Low content of organic matter			0.50	 Poor Slope Rock fragments Hard to reclaim Too acid	 0.00 0.00 0.02 0.59
Urban Land	40	 Not rated 		Not rated	ļ	 Not rated 	
KeB: Keyport	 100 	Too clayey Low content of organic matter Too acid	0.00	 Poor Low strength Shrink-swell Depth to saturated zone	0.00 0.89 0.98		 0.00 0.88 0.98
KeC: Keyport	1100		0.00	Shrink-swell Depth to saturated zone	0.00 0.89 0.98	Slope	0.00

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	reclamation mater		Potential source roadfill 	of	Potential source topsoil 	of
				 Rating class and limiting features			Value
KmB: Keyport	40	Too clayey Low content of organic matter Too acid	0.00 0.12 0.50	 Poor Low strength Shrink-swell Depth to saturated zone	0.00 0.89 0.98	 Depth to	0.00
Urban Land	40	Not rated		Not rated		Not rated	
KmC: Keyport	 40 	Too clayey Low content of organic matter Too acid	0.00	saturated zone	0.00 0.89 0.98	 Too acid 	0.00
Urban Land	40	 Not rated	 	 Not rated 	 	 Not rated 	
Ld: Lindside		Low content of organic matter	0.00 	 Poor Low strength Depth to saturated zone	0.00 0.76	saturated zone	 0.76
Lp: Lindside		 Fair Water erosion 	0.99	 Fair Depth to bedrock Depth to saturated zone	0.58	saturated zone	 0.76
MbC: Manor	100	Low content of organic matter Too acid	0.12	 		 Slope	 0.12 0.37 0.76
MbD: Manor	100	Low content of organic matter Too acid] 		 Rock fragments	0.00

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name				Potential source of roadfill		Potential source of topsoil	
				Rating class and limiting features			
McC: Manor	100	Low content of organic matter Too acid	0.12	i I	 	 Fair Rock fragments Slope	0.37
MdB: Manor	 	 	0.68 0.12 0.50 0.68	 Good 	 	Too acid - Fair Rock fragments Too acid	0.76 0.12 0.76
Urban Land	40	 Not rated	 	 Not rated	 	 Not rated	j I
MdC: Manor	 40 41	Low content of organic matter Too acid	 0.12 0.50 0.68	i I	 	 	0.12
Urban Land	 40 	 Not rated 	 	 Not rated 	 	 Not rated 	
MdD: Manor	 40 		0.12			 Poor Slope Rock fragments Too acid	0.00
Urban Land	40	Not rated	į Į	Not rated	į Į	Not rated	İ
MgB: Matapeake	100	Low content of organic matter Too acid		 Poor Low strength 		 Not Rated Too acid Hard to reclaim 	0.59
MgC: Matapeake	100	 Poor Low content of organic matter Too acid Water erosion	 0.00 0.50 0.68	 Poor Low strength 	 0.00 	 Not Rated Slope Too acid Hard to reclaim	0.37
MhB: Matapeake	40	 Poor Low content of organic matter Too acid Water erosion	 0.00 0.50 0.68	 Poor Low strength 	0.00	 Not Rated Too acid Hard to reclaim 	0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name				Potential source of roadfill		Potential source of topsoil	
	 	 Rating class and limiting features		Rating class and limiting features		Rating class and limiting features	Value
Urban Land	40	 Not rated 		 Not rated 		 Not rated 	
Mp: Melvin	 100 	Low content of	0.68	 Poor Depth to saturated zone Low strength	0.00	saturated zone	0.00
MvB: Muirkirk Variant	 100 		0.00	 Poor Low strength Shrink-swell			0.88
MvC: Muirkirk Variant	 100 	 Poor Low content of organic matter Too acid	0.00	1	0.00	 Not Rated Slope Too acid	0.37
MvD: Muirkirk Variant	 100 	 Poor Low content of organic matter Too acid				 Too acid	0.00
NeC: Neshaminy	 100 	 	 0.12 0.54	 Good 	i I	 	0.12
NeD: Neshaminy	 100 	 - Fair Low content of organic matter Too acid		ĺ		 Poor Slope Rock fragments	0.00
NuC: Neshaminy	 40 	 Fair Low content of organic matter Too acid	 0.12 0.54	İ	 	 Fair Rock fragments Slope	0.12
Urban Land	40	 Not rated		 Not rated		 Not rated	
NuD: Neshaminy	40	 Fair Low content of organic matter Too acid	 0.12 0.54	 Poor Slope 	 0.00	 Poor Slope Rock fragments	0.00
Urban Land	40	 Not rated 		 Not rated 		 Not rated 	

Table ENG-2.--Construction Materials--Continued

and soil name	 Pct. of map unit	reclamation mater	Potential source of reclamation material		Potential source of roadfill		of
	 	 Rating class and limiting features		Rating class and limiting features		 Rating class and limiting features	Value
SaB: Sassafras	100	Low content of organic matter Too acid	0.12	 Good 		 Fair Too acid 	0.59
SaC: Sassafras	 100 	Low content of organic matter Too acid	0.12	 	 	ĺ	0.37
ScB: Sassafras	 100 	Low content of organic matter Too acid	0.00	 Good - - -		ĺ	 0.00 0.59
ScC: Sassafras	 100 	Low content of organic matter Too acid	 0.00 0.50 0.99	 	 		 0.00 0.37 0.59
ScD: Sassafras	 100 	Low content of organic matter Too acid		 Poor Slope 		 Poor Slope Rock fragments Too acid	 0.00 0.00 0.59
SgB: Sassafras	 40 	Low content of organic matter Too acid	 0.12 0.50 0.99	 Good 	 	 Fair Too acid 	 0.59
Urban Land	 40	 Not rated		 Not rated		 Not rated	
SgC: Sassafras	 40 	Low content of organic matter Too acid	 0.12 0.50 0.99	 Good 	 	 Fair Slope Too acid	0.37
Urban Land	 40 	 Not rated 	 	 Not rated 	 	 Not rated 	

Table ENG-2.--Construction Materials--Continued

and soil name	 Pct. of map unit	reclamation mater:	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
	 	 Rating class and limiting features 		 Rating class and limiting features 			Value	
SgD: Sassafras	40	Low content of organic matter Too acid		 		ĺ	0.00	
Urban Land	 40 	 Not rated 	 	 Not rated 	 	 Not rated 		
SmB: Sunnyside	 100 		0.00	 Good 	 	 Not Rated Too acid 	0.32	
SmC: Sunnyside	 100 	 Poor Low content of organic matter Too acid	0.00	 Good 	 	Not Rated Too acid Slope	0.32	
SmD: Sunnyside	 100 			 Poor Slope 	 0.00 	 Not Rated Slope Too acid	0.00	
SpB: Sunnyside	 40 	Low content of organic matter	 0.00 0.50	 Good 	 	 Not Rated Too acid 	 0.32	
Urban Land	 40	 Not rated 	 	 Not rated 	 	 Not rated 		
SpC: Sunnyside	 40 		 0.00 0.50	 Good 	 	 Not Rated Too acid Slope	0.32	
Urban Land	 40 	 Not rated 	 	 Not rated 	 	 Not rated 	 	
SpD: Sunnyside	 40 			 Fair Slope 		 Not Rated Slope Too acid	0.00	
Urban Land	 40 	 Not rated 	 	 Not rated 	 	 Not rated 	 	

Table ENG-2.--Construction Materials--Continued

Map symbol Pct. and soil name of map unit		reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features		 Rating class and limiting features		 Rating class and limiting features 	Value
U1: Udorthents	100	Droughty	0.00			 Not Rated 	
U2: Udorthents	100	 Not Rated Droughty Low content of organic matter	0.00	 Not Rated 		 Not Rated 	
U3: Udorthents	100	 Not Rated Droughty Low content of organic matter	0.00	 Not Rated 		 Not Rated Slope 	0.96
U4: Udorthents	100	 Not Rated Droughty Low content of organic matter	0.00	 Not Rated 		 Not Rated Slope 	0.96
U5: Udorthents	100	 Not Rated Droughty Low content of organic matter	0.00	 Not Rated 		 Not Rated Slope 	0.96
U6: Udorthents	 - 100 	 Not Rated Droughty Low content of organic matter	0.00	 Not Rated 		 Not Rated 	
U7: Udorthents	 - 100 	 Not Rated Droughty Low content of organic matter	0.00	 Not Rated 		 Not Rated 	
U8: Udorthents	 - 100 	 Not Rated Droughty Low content of organic matter	0.00			 Not Rated 	
U9: Udorthents	100	 Not Rated Droughty Low content of organic matter	0.00	 Not Rated 		 Not Rated 	

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name		reclamation mater	Potential source of reclamation material		Potential source of roadfill 		of
				 Rating class and limiting features		 Rating class and limiting features 	Value
U10: Udorthents	100	Droughty	0.00		 	 Not Rated 	
U11B: Udorthents	100	Droughty	0.00		 	 Not Rated 	
U11C: Udorthents	100	Droughty	0.00		 	 Not Rated Slope 	 0.37
U11D: Udorthents	 100 	Droughty				 Not Rated Slope 	 0.00
UA: Udifluvents	100	Low content of organic matter Too acid	 0.12 0.68 0.90	 	 	 Fair Rock fragments 	0.50
Ub: Urban Land	100	 Not rated 		 Not rated 	 	 Not rated 	
UcB: Urban Land	 70	 Not rated 	 	 Not rated 	 	 Not rated 	
Beltsville	 10 	 Fair Too acid Low content of organic matter Water erosion	0.12	Depth to saturated zone Low strength	İ	Hard to reclaim	 0.01 0.53 0.59
UdB: Urban Land	70	 Not rated 		 Not rated 	 	 Not rated 	
Brandywine	10 10	Not Rated Low content of organic matter Too acid Droughty Cobble content	 0.12 0.50 0.93 0.99	 Not Rated Cobble content 	 0.77 	 Poor Hard to reclaim Rock fragments Too acid 	 0.00 0.00 0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name		reclamation mater	Potential source of reclamation material		Potential source of roadfill		of
	 			 Rating class and limiting features 			
UeB: Urban Land	 70	 Not rated 	 	 Not rated 	 	 Not rated 	
Chillum	10	Low content of organic matter	0.12	 	į Į	 Poor Hard to reclaim Too acid	İ
UeC: Urban Land	70	 Not rated 		 Not rated 		 Not rated 	
Chillum			0.12	 	i 	 Poor Hard to reclaim Slope Too acid	0.37
UfB: Urban Land	70	 Not rated 		 Not rated 	 	 Not rated 	
Christiana	5	organic matter	0.50		 0.00 0.87 	 Poor Too Clayey Too acid 	0.00
Christiana	5	Too clayey Low content of organic matter	 0.50	Low strength Shrink-swell	 0.00 0.87 	 Poor Too Clayey Too acid 	0.00
UfC: Urban Land	70	 Not rated 		 Not rated 		 Not rated 	
Christiana	5	 Poor Too clayey Low content of organic matter Too acid Water erosion	0.00	 Poor Low strength Shrink-swell 	 0.00 0.87 	 Poor Too Clayey Too acid Slope	0.00
Christiana	 5 	 Poor Too clayey Low content of organic matter Too acid Water erosion	İ		 0.00 0.87 		0.00

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	 Pct. of map unit	reclamation material		Potential source of roadfill 		Potential source of topsoil	
	 	 Rating class and limiting features 		 Rating class and limiting features 		 Rating class and limiting features 	Value
UkC: Urban Land	 70	 Not rated 		 Not rated 		 Not rated 	
Croom	 15 	Low content of organic matter Too acid Droughty	 0.00 0.54 0.96 0.99	 Good - - -	 		 0.00 0.00 0.37 0.98
UmB: Urban Land	i 70 	 Not rated) 	 Not rated 	; ! !	 Not rated 	
Galestown	 10 	Wind erosion Too sandy Too acid	 0.00 0.01 0.12 0.50	 Good 	 	 Fair Too sandy Too acid Rock fragments 	 0.01 0.59 0.97
UoC: Urban Land	 70 	 Not rated 	 	 Not rated 	 	 Not rated 	
Joppa	 10 	Low content of organic matter Too acid	 0.12 0.50 0.62	 	 	 Poor Rock fragments Hard to reclaim Too acid	 0.00 0.02 0.59
UpB: Urban Land	 70	 Not rated 	 	 Not rated 	 	 Not rated 	
Keyport	; 5 	Too clayey Low content of organic matter Too acid	0.00	Depth to saturated zone	0.00 0.89 0.98		0.00
Keyport	 5 1 	 Poor Too clayey	 0.00 0.12	 Poor Low strength	0.00 0.89 0.98	Depth to	0.00
UsB: Urban Land	 70 	 	0.99		i 	Saturated 2011e 	

Table ENG-2.--Construction Materials--Continued

and soil name		reclamation mater	Potential source of reclamation material		Potential source of roadfill		of
	 			 Rating class and limiting features 		 Rating class and limiting features 	Value
Manor	 5 	organic matter Too acid	0.12	 	 	 Fair Rock fragments Too acid	0.12
UsC: Urban Land	 70 	 Not rated 	 	 Not rated 	 	 Not rated 	
Manor	 5 	Low content of organic matter Too acid	 0.12 0.50 0.68	 	 	 Slope	 0.12 0.37 0.76
UxB: Urban Land	 70 	 Not rated 	 	 Not rated 	 	 Not rated 	
Sassafras	 5 	Low content of organic matter Too acid	 0.12 0.50 0.99	İ	 	 Fair Too acid 	 0.59
UxC: Urban Land	 70 	 Not rated 	 	 Not rated 	 	 Not rated 	
Sassafras	 10 	Low content of organic matter Too acid	 0.12 0.50 0.99	İ	 	 Fair Slope Too acid 	 0.37 0.59
UyC: Urban Land	 70 	 Not rated 	 	 Not rated 	 	 Not rated 	
Sunnyside	 10 	 Poor Low content of organic matter Too acid	0.00	 Good 	 	 Not Rated Too acid Slope	0.32
UzB: Urban Land	 70 	 Not rated 	 	 Not rated 	 	 Not rated 	
Woodstown	 15 	Too acid		saturated zone	 0.91 	Fair Too acid Rock fragments Depth to saturated zone	0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
	 	Rating class and limiting features	Value	Rating class and limiting features		Rating class and limiting features	Value
W: Water	100	 Not Rated Low content of organic matter	0.00	 Not Rated 		 Not Rated 	
WoB: Woodstown	 100 	 Fair Too acid Low content of organic matter 	0.12	 Fair Depth to saturated zone 	0.91	 Fair Too acid Rock fragments Depth to saturated zone	0.59
WpB: Urban Land	40	 Not rated 		 Not rated 	 	 Not rated 	
Woodstown	40 40 	 Fair Too acid Low content of organic matter 	 0.12 0.12 0.12	 Fair Depth to saturated zone 	 0.91 	 Fair Too acid Rock fragments Depth to saturated zone	0.59